



AIR BREAK COMPRESSOR REPLACEMENT PARTS for MERCEDES / KNORR / WABCO / BENDIX / CLAYTON / VOLVO / RENUALT



Reliable Engineering House



ISO 9001:2008 CERTIFIED

Plot No. 8, Cama Industrial Estate, Goregaon (East),

Mumbai 400 063, INDIA.

Tel.: +91 - 22 - 2685 1428

+91 - 22 - 2685 1435

+91 - 22 - 2685 1438

Email: hercules@reliableengg.com ♦ sales@reliableengg.com

Website: www.reliableengg.com

REPLACEMENT PARTS

Part Nos. / Ref No. / Engine Name / Model are only given for cross reference.



These are few pages from our Catalogue

For our complete catalogue please contact us at

Email: hercules@reliableengg.com

CYLINDER BLOCK	CYLINDER BLOCK
----------------	----------------



For KNORR BREMSE
 LP 1828, LP 1836, LP 1841, LP 1865, LP 1866
CYL. BORE: 88MM
 TOTAL HEIGHT/LENGTH OF BLOCK: 97MM

Fir WESTING HOUSE – WABCO
 411-010, 411-012, 411-026
CYL. BORE: 90MM
 TOTAL HEIGHT/LENGTH OF BLOCK: 88MM

CYLINDER BLOCK	CYLINDER BLOCK
----------------	----------------



For MERCEDES
 422008 (AIR COOLED)
CYL. BORE: 90MM
 TOTAL HEIGHT/LENGTH OF BLOCK: 104.5MM

For MERCEDES
 4020608 (FOR OM-401, 404, 421, 424) (WATER COOLED)
CYL. BORE: 90MM
 TOTAL HEIGHT/LENGTH OF BLOCK: 104MM

CYLINDER BLOCK	CYLINDER BLOCK
----------------	----------------



For MERCEDES
 OEM PT. NO. 3521800108
CYL. BORE: 94MM
 TOTAL HEIGHT/LENGTH OF BLOCK: 82MM

For MERCEDES
 MOTOR - 470359
CYL. BORE: 77MM
 TOTAL HEIGHT/LENGTH OF BLOCK: 88MM

PISTON FOR COMPRESSOR



For MERCEDES COMPRESSOR
Bore: 90mm
Water Cooled & Air Cooled

PISTON FOR COMPRESSOR



For MERCEDES COMPRESSOR
Bore: 100mm
Air Cooled

PISTON



For MERCEDES OM-401, 402LA, 411, 422
Bore: 100 MM
TOTAL HEIGHT/LENGTH: 52 MM, PISTON PIN SIZE 20 MM,
RINGS 2.5 + 2.5 + 4 MM

PISTON



For WESTING HOUSE WABCO
2 CYL. COMPRESSOR
Bore: 85 MM (3 RINGS)

PISTON



For MERCEDES
MOTOR 470359 (CAST IRON PISTON)
Bore: 77 MM
RINGS 2.5 + 2.5 + 3 + 4 MM

PISTON



For REANULT - KNORR BREMSE LP-4833
Bore: 78 MM (3 RINGS)
RINGS 2.5 + 2.5 + 4 MM
TOTAL HEIGHT/LENGTH: 60 MM, PISTON PIN SIZE 18 MM

CONNECTING ROD COMPRESSOR

For MERCEDES
OE PT.NO.352 130 0216

ACR 97 LONG
STEEL

CONNECTING ROD COMPRESSOR

For MERCEDES
OE PT.NO.352 130 0416

ACR 92 SHORT
STEEL

CONNECTING ROD COMPRESSOR

For KNORR BREMSE
R-63121
(FOR 88MM 4R PISTON)

STEEL

CONNECTING ROD COMPRESSOR

For KNORR BREMSE
S-80110
(FOR 88MM 3R PISTON)

ALUMINIUM

CONNECTING ROD COMPRESSOR

For WESTING HOUSE
411-010, 411-012, 411-026
OE PT.NO.000-131-2416

WABCO
(ALUMINIUM)

CONNECTING ROD COMPRESSOR

For WESTING HOUSE
2 CYL. COMPRESSOR
95250, 911-145-73-6

WABCO

HEAD PLATE ASSEMBLY	HEAD PLATE ASSEMBLY
	
<p>For WESTING HOUSE WABCO 411-010, 411-012, 411-026 BORE: 90 MM PISTON & OTHERS</p>	<p>For KNORR BREMSE COMPRESSOR LP 1828, LP 1836, LP 1841, LP 1865, LP 1866 BORE: 88 MM PISTON & OTHERS</p>
SHIMS SET FOR HEAD PLATE	SHIMS SET FOR HEAD PLATE
	
<p>For WESTING HOUSE WABCO 411-010, 411-012, 411-026 BORE: 90 MM PISTON & OTHERS</p>	<p>For KNORR BREMSE COMPRESSOR LP 1828, LP 1836, LP 1841, LP 1865, LP 1866 BORE: 88 MM PISTON & OTHERS</p>
CYLINDER HEAD	HEAD PLATE
<p>ALSO AVAILABLE</p>	
<p>For MERCEDES OM-352 BORE: 94 MM</p>	<p>For</p>